

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 1	21676	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 diagnos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:41
S10 2	6651	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and display\$4 near15 diagnos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:42
S10 3	4681	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:42
S10 4	182	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near10 fail\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:42
S10 5	126	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near10 failure\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:43
S10 6	1	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnosed near10 failure\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:43
S10 7	99	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near10 failure\$1 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:43

## EAST Search History

S108	95	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:46
S109	1	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 near5 conditions and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:43
S110	41	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 and network and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:45
S111	0	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 and network and display\$4 near15 relation\$5 near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:45
S112	0	(@ad<"20030701" or @rlad<"20030701") and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 and network and display\$4 near15 relation\$5 near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:44
S113	0	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 and network and display\$4 near15 tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:45
S114	54	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 and network not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:49

## EAST Search History

S11 5	58	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and network near5 analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:50
S11 6	19	(@ad<"20030701" or @rlad<"20030701") and performanc\$4 and network near5 analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:50
S11 7	21	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 near5 failure\$1 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:54
S11 8	497	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:54
S11 9	23	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 near15 failure\$1 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:55
S12 0	243	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 failure\$1 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:55
S12 1	536	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:55

## EAST Search History

S12 2	497	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:55
S12 3	28	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 near10 condition\$1 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:01
S12 4	0	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 near10 condition\$1 and tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:58
S12 5	0	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 diagnos\$4 near10 condition\$1 and gtp\$1 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 08:58
S12 6	10	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:02
S12 7	665	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 and tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:02
S12 8	14326	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 nodes same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:03

## EAST Search History

S12 9	0	(@ad<"20030701" or @rlad<"20030701") and network near5 analy\$6 and display\$4 near15 nodes same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:03
S13 0	2	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 nodes same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:04
S13 1	3555	(@ad<"20030701" or @rlad<"20030701") and display\$4 same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:04
S13 2	19	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 relation\$5 near15 tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:09
S13 3	24	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 map\$4 near15 tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:11
S13 4	0	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 endpoint\$1 near15 tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:11
S13 5	0	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 topology same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:12

## EAST Search History

S13 6	1	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 topolog\$4 same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:12
S13 7	33	(@ad<"20030701" or @rlad<"20030701") and display\$4 near15 tree same tunnel\$4 not S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 09:12

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5426	(@ad<"20030701" or @rlad<"20030701") and 709/224. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L2	489	(@ad<"20030701" or @rlad<"20030701") and 714/39. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L3	5173	(@ad<"20030701" or @rlad<"20030701") and 709/223. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:36
L4	185	(@ad<"20030701" or @rlad<"20030701") and 700/14. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L5	470	(@ad<"20030701" or @rlad<"20030701") and 700/14. ccls. analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L6	5709	(@ad<"20030701" or @rlad<"20030701") and 709/224. ccls. analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L7	0	(@ad<"20030701" or @rlad<"20030701") and 700/14. ccls. and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35

## EAST Search History

L8	2	(@ad<"20030701" or @rlad<"20030701") and 709/224. ccls. and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L9	0	(@ad<"20030701" or @rlad<"20030701") and 714/39. ccls. and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:35
L10	6	(@ad<"20030701" or @rlad<"20030701") and 709/223. ccls. and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:36
L11	6	(@ad<"20030701" or @rlad<"20030701") and 709/223. ccls. and analyzer near15 ((packet\$1 or frame\$1) or tunnel\$4) and analy\$5 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:36